

Minimum requirements for product documentation

Product	Wood flooring and parquet
Technical specification	NS-EN 14342
Intended use	Floors

Conformity system	Property	O	N	F	Classification standard	Test standard	Requirement	Recommendations
1	Reaction to fire ¹⁾	x			NS-EN 14915	CWFT		
4 ¹⁾	Release of formaldehyde	x			NS-EN 14915	NS-EN 717-1		
	Content of pentachloro- phenol	x			NS-EN 14915	CEN/TR 14823		
	Mechanical strength ³⁾			x	NS-EN 1533	NS-EN 1533		
	Slipperiness			x	CEN/TS 15676	CEN/TS 15676		
	Thermal conductivity	x			NS-EN 14915	NS-EN 12664		
	Durability ²⁾	x			NS-EN 335-1,2,3	CWFT		
	Dangerous substances		x				PKL § 3a- substitution PRF bl.a. §2-10, 3-6, 3-7. For glue and surface protection PRF §§ 2-5, 2-11, 2-13, 3-20, 3-21, App. VII. Reach Candidate list	The list of Priority Substances
	Emissions		x				PRF §§ 3-20, 3-21 Vedlegg VII TEK § 8-33	NS-EN 15251
	Hazardous waste		x				AVF Ch. 11 Appendix 3 a og b.	

Special conditions
1) AoC 1: Timber treated by fire retardant products
2) Timber treated to an extended durability to biological attack shall be classified according to NS-EN 335-2, NS-EN 599-2 and NS-EN 351-1
3) Relate to structural floors

Voluntary Norwegian national documentation

--

Abbreviations

O	Obligatory according to technical specification
N	Obligatory according to Norwegian legislation
F	Optional
TEK	Technical Regulations under the Planning and Building Act
PKL	Product Control Act
AVF	Waste Regulations
PRF	Product Regulations relating to restrictions on the manufacture, import, export, sale and use of chemicals and other products hazardous to health and the environment (Product Regulations)
CWFT	Classified without further testing

Status
Valid
Hearing ended
Hearing issued
Proposal